

CITY AND COUNTY OF SAN FRANCISCO

DEPARTMENT OF PUBLIC WORKS


ORDER NO. 99695

It is hereby ordered that Bedini Steel Drum Co., 1212 Thomas Avenue, San Francisco, CA 94124

1. Meet the following time schedule for complying with the Industrial Waste Ordinance, City Ordinance 15-71, limitations as follows:
 - a. pH - Corrective measures to be complete within three months of the date of the Director's Order.
 - b. Chemical Oxygen Demand - Corrective measures to be complete within six months of the date of the Director's Order.
2. Submit to the Industrial Waste Branch a monthly progress report of the corrective measures being undertaken until such time as the corrective measures are in operation. Such report shall be due by the 10th of each month with the first report due November 10, 1974.
3. Establish a self-monitoring program in accordance with the requirements of the Industrial Waste Branch. Such a monitoring program shall commence immediately after corrective measures are completed.
4. Submit a proposed sampling point to the Industrial Waste Branch for approval within one month of this Order. Construction of a proposed sampling point, if required by the Industrial Waste Branch, shall be completed by the Discharger within three months of the date of this Order.


The basis for the action taken includes the following:

1. Section 123.2 of Article 4.1 of Chapter X, Part II of the San Francisco Municipal Code (Public Works Code).
2. The Director, in a public hearing on October 2, 1974 heard and considered all information presented pertaining to this Order. Representatives for Bedini Steel Drum Co. were not present at this hearing.


S. M. Tatarian
Director of Public Works

JMB:avs

RECOMMENDED:


R. C. Levy
Hearing Officer

Distribution Outside Bureau of Engineering:

Order File (2)

P. Kenealy, City Attorney's Office